

PROJECT:		
TYPE:		

Mini Pendants











Mini Pendants

Description:

These Mini Pendants have a finish with a high gloss powder coat exterior. Both the interior and exterior are lacquered to prevent oxidization. These mini pendants are also available in fat, wide and stout versions. Gorgeously created with multiple functionalities and styles, these pendants can make any place brighten and create a craftier and fresher atmosphere.

create a crartier and resiler atmos

SPECFICATIONS:

- Material:
 - Iron
- Dimensions: Dia. X H
 - **A:** 14.0" X 6.29"
 - **B:** 7.48" X 14.0"
 - **C:** 9.44" X 11.81"

ELECTRICAL:

- Input Voltage:
 - PoE
- Wattage (W):
 - **Min.:** 5W
 - **Max.:** 10W
- LED Lumen/Watt: 100

LM/W

- Light Source: 1 X E26 Lamp
- Lamps not Included
- IP Rating: IP 20
- Controls: Dimming with PoE

Driver.

LABELS:

- ETL conforms to UL STD 1598; Certified to CAN/CSA STD C22.2 No. 250.0
- LED light assembly conforms to UL 2108 for remote installation.
- RoHS compliant

WARRANTY:

5-Year Limited Warranty









Mini Pendants

Nominal Dimensions:











ORDERING INFORMATION

Ordering Example: LI-MP3WBG-A-L-10-30-1-PD-GL

Model	Shade Type	Canopy Type	Watts (Lamp)	Nominal Lumen (Lamp)	CRI (Lamp)	Color Temp (Lamp)	Voltage	Dimmable	Shade & Canopy Finish
LI-MP3WBG	A B C	S-Single R-Round L-Linear	5-5W 10-10W	400 800	80	27-2700K 30-3000K 35-3500K	1-PoE-N	PD-PoE Dim.	WH-White BL-Black GL-Gold



Page 3 of 3