



POWERED BY LED INDUSTRIES

PROJECT:

TYPE:

Ring Pendant





POWERED BY LED INDUSTRIES

Ring Pendant

Description:

Our Ring Pendant is a modern piece that utilizes state of the art lighting technology. This simple piece features a metal frame with an acrylic crystalline diffuser, which diffuses the illumination as well as provides contrast to this simple fixture. Each piece of this fixture can be used individually or hung in such a way that it creates a concentric effect. Perfect for modern spaces where a refreshing focal point as well as a light source is needed.

■ SPECIFICATIONS:

■ Material:

- Metal and Acrylic

■ Dimensions: Dia.

- Small: 24"
- Medium: 36"
- Large: 48"

■ ELECTRICAL:

■ Input Voltage:

- PoE

■ Wattage (W):

- Small: 25 W
- Medium: 36 W
- Large: 45 W

■ LED Lumen/Watt: 100 LM/W

■ Light Source: Integrated LED

■ IP Rating: IP 20

■ Controls: Dimming with PoE Driver.

■ LABELS:

- ETL conforms to UL STD 1598; Certified to CAN/CSA STD C22.2 No. 250.0
- LED light assembly conforms to UL 2108 for remote installation.
- RoHS compliant

■ WARRANTY:

- 5-Year Limited Warranty







POWERED BY LED INDUSTRIES

Ring Pendant

Nominal Dimensions:



Polar Graph:



ORDERING INFORMATION

Ordering Example: LI-RPDL-3RX-M-27-1-PD-GL

Model	Nominal Size	Watts (Lamp)	Nominal Lumen (Lamp)	CRI (Lamp)	Color Temp (Lamp)	Voltage	Dimmable	Finish
LI-RPDL-3RX	S-24"	25W	2000	> 80	27-2700K	1-PoE-N	PD-PoE Dim.	BL-Black
	M-36"	36W	2880		30-3000K			WH-White
	L-48"	45W	3600		35-3500K			GL-Gold
								CU-Custom

LED Industries reserves the right to change specs or exchange fixtures without further notice