



POWERED BY LED INDUSTRIES

PROJECT:

TYPE:

# Shandaar Pendant





POWERED BY LED INDUSTRIES

## Shandaar Pendant

### **Description:**

This Shandaar Pendant combines many different designs with aesthetics to create this unique pendant. The gold metallic framework paired with the transparent glass cylinders works to create a classy but contemporary style exclusive for this piece. This design fashions a more elegant and simple design verses the extravagant and traditional designs of most conventional chandeliers. This pendant captivates any room while creating a coruscating light source.

### ▪ **SPECIFICATIONS:**

#### ▪ **Material:**

- Metal & Glass

#### ▪ **Dimensions: Dia. X H:**

- **6-Light:**
  - 31.50" X 24.41"
- **8-Light:**
  - 39.37" X 24.51"

### ▪ **ELECTRICAL:**

#### ▪ **Input Voltage:**

- PoE

#### ▪ **Wattage (W):**

- **6-Light:** 30W
- **8-Light:** 40W

#### ▪ **LED Lumen/Watt:** 100 LM/W

#### ▪ **Light Source:** N X E14 Lamp

#### ▪ **Lamps not Included**

#### ▪ **IP Rating:** IP 20

#### ▪ **Controls:** Dimming with PoE Driver.

### ▪ **LABELS:**

- ETL conforms to UL STD 1598; Certified to CAN/CSA STD C22.2 No. 250.0
- LED light assembly conforms to UL 2108 for remote installation.
- RoHS compliant

### ▪ **WARRANTY:**

- 5-Year Limited Warranty







POWERED BY LED INDUSTRIES

## Shandaar Pendant

### Nominal Dimensions:



Model	Size (in)	Bulb	COLOR
6 Light	31.50 x 24.41	6 X E12	Gold



Model	Size (in)	Bulb	COLOR
8 Light	39.37 x 24.51	8 X E12	Gold

### ORDERING INFORMATION

#### Ordering Example: LI-SP-02GL-6-30-1-PD-GL

Model	Shade Type	Watts (Lamp)	Nominal Lumen (Lamp)	CRI (Lamp)	Color Temp (Lamp)	Voltage	Dimmable	Finish
LI-SP-02GL	6-6 Lights	30W	2400	80	27-2700K	1-PoE-N	PD-PoE Dim.	GY-Grey
	8-8 Lights	40W	3200		30-3000K 35-3500K			

LED Industries reserves the right to change specs or exchange fixtures without further notice