

PROJECT:

TYPE:

Minimal Triad Pendant







PROJECT:			
TYPE:			

Minimal Triad PENDANT

Description:

The Minimal Triad Pendant is designed with simplicity in mind. The bold yet minimalistic design allows for a movement into the transitional category and can work incredibly well in many design layouts. This light has a variety of applications and can be used in commercial and residential settings.

- SPECFICATIONS:
 - Material:
 - Metal
 - Dimensions:
 - W 49.5 x 8" H
- ELECTRICAL:
 - Input Voltage:
 - PoE
 - Wattage (W):
 - **12W**
 - LED Lumens/Watt: 100 LM/W
 - Light Source:
 - 3 X E12 Lamps
 - PoE Lamps Not Included
 - Controls: 100% dimming with Poe Driver.
- LABLES:
 - Conforms to UL STD 1598; Certified to CAN/CSA STD
 - LED light assembly conforms to UL 2108 for remote installation.
 - RoHS compliant
- WARRANTY:
 - 5-Year Limited Warranty








Minimal Triad PENDANT

Dimensions:



Cord Length: 400 cm / 157.5 in Diameter: 25 cm / 9.75 in

ORDERING EXAMPLE: LI-SP01-10W-27K-1-PD-BL

Model	Watts	Nominal Lumen	CRI	Color Temp	Voltage	Dimmable	Finish
LI-SP01	12W	1080	>80	27 – 2700K 30 – 3000K	1-PoE-N	PD-PoE Dim.	BL-Black WH-White

