

This PoE Globe Pendant offers two individually rotating shades surrounded by a metal ring. The pendant light transforms in shape to offer varying lighting possibilities in an artistic and original way. The finish can come in a variety of colors. The applications for this pendant are endless and unique to each persons design.

Our intelligent LED PoE lighting solutions accelerates digital transformation of facilities in Internet of Thing (IoT) while providing an excellent option to the lighting designer or building management companies that are seeking aesthetic pleasure with digital building solutions throughout the facilities with option of covering multiple building network. Beyond considerations of cost and efficiency.



SPECIFICATIONS:

- Input Voltage: PoE Compatible
- Wattage (W): 10W
- Lumens (L): 130 l/W
- CRI >83
- Damp location rated, IP20
- Controls 0-10V dimming with PoE driver



POE LIGHTING SOLUTIONS
POWERED BY LED INDUSTRIES

GLOBE PENDANT

FINISH :



WHITE



BLACK



BLUE



CHROME

Dimensions :

Ordering Example:

LI-PoE-GL-04SP-1-1

ORDERING INFORMATION

Model	Watts	Lumen	PoE	Color Temp.	CRI	PoE Dimmable	Finish
LI-PoE-GL-04SP	1=10W	130 lm/W	<u>Compatible</u>	1 = 3000K 2 = 3500K 3 = 4000K	>83	Yes	White Black Chrome Blue