




This PoE Reindeer Pendant comes in two forms, the first of which is detailed below. With the golden finish and glass tubes, this chandelier pendant can be used in a variety of indoor locations. The soft ambient light omitted from the fixture calls for a comfy yet sophisticated setting and the articulated joints allow the glass to be arranged in a multitude of ways, allowing for different experiences with each new arrangement. The glass tubes add for a more elegant lighting experience, making the setting more classy.

Our intelligent LED PoE lighting solutions accelerates digital transformation of facilities in Internet of Thing (IoT) while providing an excellent option to the lighting designers or building management companies that are seeking aesthetic pleasure with digital building solutions throughout the facilities with option of covering multiple building networks. Beyond considerations of cost and efficiency.



SPECIFICATIONS:

- Input Voltage: PoE Compatible
- Wattage (W): 3W/Bulb G9
- Lumens (L): 90 lm/W
- CRI >83
- Damp location rated, IP20
- Controls 0-10V dimming with PoE driver



POE LIGHTING SOLUTIONS⁷
POWERED BY LED INDUSTRIES


REINDEER TUBE PENDANT





- The pendant's glowing, glass tubes were inspired by the light's origins as a candelabra
- Made of the highest quality metal and glass that is durable and attractive - electroplated metal with thick glass
- A stunning feature piece for your contemporary spaces
- 14 glass tubes that can be adjusted to suit your needs - both stylish and functional
- Soft white glass cylinders encase the warm and ambient light source
- Contemporary in style, supremely versatile in nature
- When completely vertical, the pendant looks formal and church-like, once the angles change it becomes more whimsical.
- Takes 14 x 3W LED G9 Globe (excluded) - long lasting and super easy to replace (instruction manual included)
- Has a round canopy in their respective colors (black for black, brushed brass for brushed brass)
- Looks great on its own or in a set of 2 or even 3 for super spectacular display
- Photos are of the actual product being sold

• Dimensions:



Ordering Example:

LI-PoE-IG-1-1

ORDERING INFORMATION

Model	Watts	Lumen	PoE	Color Temp.	CRI	PoE Dimmable	Finish
LI-PoE-IG	1= 42W	3780	<u>Compatible</u>	1 = 2700K 2 = 3000K 3 = 3500K	>83	Yes	1 = Brushed brass 2 = Matt Black 3 = Polished Chrome